



Heating and cooking with all your senses.



Kitchen stoves **OSKAR**

Models 500 | 600 | 700 | 800 | 900 | 1000

ENERGY EFFICIENT, ENVIRONMENTALLY CONSCIOUS AND MODERN.



Heating and cooking with a wood stove has tradition. Food cooked on wood stoves absorbs the energy of the fire. The cooktop made of steel - a natural material - absorbs the heat quickly and retains it for a long time. Different temperature zones contribute to energy-saving cooking. In the old days, the tastiness and digestibility of slowly simmered dishes was well known.

The technique, however, was further developed and a specially manufactured firebox made from high quality material ensures a low-emission combustion process with very high efficiency. The stoves of the OSKAR family are equipped with an enameled oven with three shelf levels, baking tray, grille, and oven thermometer.

Both the stoking door and the oven door can be equipped with viewing panes. The adjustable flue pipe connection is possible in the back, side or stovetop. Fire protection units are integrated in the stove on both sides and a connector for external combustion air is preconfigured. With different sizes and designs, the stove blends harmoniously into your kitchen.

The side walls of the ovens come standard in matte brushed stainless steel. They are also available with ceramic cladding or in anthracite gray, cream white, textured granite or textured mosaic.

With a Gast kitchen stove you are set for the future even without power and independent of oil and gas supplies.

Features and benefits of the OSKAR kitchen stoves:

- Individual production directly in our factory
- Optimized combustion technology for economic fuel utilization
- Combustion chamber is equipped with ceramic grate
- High thermal mass due to massive interior construction of refractory concrete
- Stove frame in stainless steel - stable stove rod of solid material
- Oven in enameled versions
- Stoking and oven door possible with glass pane in 2-fold EnergyPlus
- The stovetop of solid steel has excellent heat distribution
- Spacious fuel loading tray with feeder damper
- Fire protection is integrated into stove on both sides except for side flue pipe connection
- Connection for external air supply provided
- Variable chimney connection depending on type
- Custom sizes according to customer requirements are possible
- Stove height of 85-94 cm upon request
- All stoves can be expanded with practical attachments



OSKAR 600-sl
Design: Stainless steel, matte
Stoking door with viewing pane



OSKAR 500

Design: Stainless steel, matte with straight bar handles
Stoking door with viewing pane
Dimensions: 50 x 60 x 85-94 cm



OSKAR 600-sl

Design: Stainless steel, matte with straight bar handles
Stoking door with viewing pane
Dimensions: 60 x 60 x 85-94 cm



OSKAR 700

Design: Stainless steel, matte with straight bar handles
Stoking door without viewing pane
Dimensions: 70 x 60 x 85-94 cm



OSKAR 1000

Design: Stainless steel, matte with straight bar handles
Stoking and oven door with viewing pane
Dimensions: 100 x 60 x 85-94 cm

OSKAR 600-sl

Design: Textured black granite with straight bar handles
 Stoking door with viewing pane, base drawer
 Dimensions: 60 x 60 x 85-94 cm



OSKAR 800

Design: Textured granite with curved bar handles
 Stoking and oven door with viewing pane
 Side walls anthracite gray
 Dimensions: 80 x 60 x 85-94 cm



OSKAR 800-sl

Design: Textured granite with curved bar handles
 Stoking and oven door with viewing pane, base drawer
 Side walls anthracite gray
 Dimensions: 80 x 60 x 85-94 cm



OSKAR 1000

Design: Stainless steel, matte with straight bar handles
 Stoking and oven door with viewing pane
 Side walls with ceramic lava
 Dimensions: 100 x 60 x 85-94 cm





OSKAR 1000-sl

Design: Stainless steel, matte with straight bar handles
 Stoking and oven door with viewing pane
 Dimensions: 100 x 60 x 85-94 cm



OSKAR 1000

Design: Novell with black handles
 Stoking and oven door with viewing pane
 Black side walls
 Dimensions: 100 x 60 x 85-94 cm



OSKAR 1000

Design: Stainless steel, matte with straight bar handles
 Stoking and oven door with viewing pane
 Ceramic side walls, glossy cherry red
 Dimensions: 100 x 60 x 85-94 cm



OSKAR 1000

Design: Stainless steel, matte with straight bar handles
 Stoking and oven door with viewing pane
 Cream white side walls
 Dimensions: 100 x 60 x 85-94 cm

OSKAR 600-sl

Design: Rustic
Stoking door with viewing pane, base drawer
Dimensions: 60 x 60 x 85-94 cm

OSKAR 600-sl

Design: Rustic
Stoking door without viewing pane, base drawer
Dimensions: 60 x 60 x 85-94 cm



OSKAR 800

Design: Stainless steel, matte with straight bar handles
Cream white side walls and wood drawer
Dimensions: 80 x 60 x 85-94 cm



OSKAR 900

Design: Nostalgia with forged safety bar and handles
Stoking and oven door with viewing pane
Dimensions: 90 x 60 x 85-94 cm



OSKAR 900

Design: Nostalgia with forged safety bar and handles without viewing pane, with optional smoke outlet upwards
Dimensions: 90 x 60 x 85-94 cm





OSKAR 900-ol

Design: Nostalgia with forged safety bar and handles
Prepared for onsite base, with optional smoke outlet upwards
Dimensions: 90 x 60 x 85-94 cm



OSKAR 500-sl with electric stove attachment

Design: Rustic white - stoking door without viewing pane, base drawer
Side wall with decorative edging - drawer under electric stove
Dimensions: 120 x 60 x 85-94 cm

OSKAR - Decisive benefits are in the details!

- **Air slide for full and partial load operation**



- **Enameled oven interior**

Enameled baking tray and stainless steel grille are standard accessories
Pull-out shelf for easy cleaning



- **Massive stove bar made of solid material**



Gast kitchen stoves **OSKAR**

SIZES, DESIGNS AND TECHNICAL DATA



OSKAR 500 | 600 | 700 | 800 | 900 | 1000

With wood drawer and removable stainless steel base



OSKAR 500-sl | 600-sl | 700-sl | 800-sl | 900-sl | 1000-sl

With base drawer



OSKAR 500-ol | 600-ol | 700-ol | 800-ol | 900-ol | 1000-ol

For installation on on-site base, without wood drawer



OSKAR 500-eck | 600-eck

With base drawer

Type	Dimension (WxD) in cm	Flue ø in cm	Inner oven dimension (BxHxD) in cm	Weight kg	Heat release kitchen kW	Exhaust gas mass flow g/s	Average exhaust gas temperature	Draft requirement Pa
OSKAR 500	50 x 60	12	---	150	5	6,3	287	12
OSKAR 600	60 x 60	12	---	165	5	6,3	280	12
OSKAR 700	70 x 60	12	21 x 26 x 41	220	6	8,0	290	12
OSKAR 800	80 x 60	12	31 x 26 x 41	240	6	8,8	266	12
OSKAR 900	90 x 60	12	41 x 26 x 41	260	7	9,5	241	12
OSKAR 1000	100 x 60	12	51 x 26 x 41	280	7	10,1	216	12

The OSKAR kitchen stoves can be combined with all available decorative fronts and are available in six different widths.



Metallwaren GmbH & CoKG

4407 Steyr | Ennser Straße 42

Tel: +43 (0) 7252 / 72301-0 | Fax DW-24

E-Mail: office@gast.co.at | Web: www.gast.co.at



Your stove builder:



Subject to technical modifications

Tested according to EN 12815

Austrian Stove Manufacturing Since 1896